



EQUIPPING THE TYRE INDUSTRY

Auto 4 Ltd. Unit 4a, Park Court,  
Park Lane Business Park,  
Kirkby-in-Ashfield,  
Nottinghamshire. NG17 9GU  
General Tel: 01623 727360  
Fax: 01623 721950  
Email: sales@auto4.co.uk  
Web: www.auto4.co.uk

## RTV SILICONE SEALANT RANGE

Page: 1 Compilation date: 07/04/2014 Revision No: 3

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product name: RTV SILICONE SEALANT RANGE Product code: 015142 1.2. Relevant identified uses of the substance or mixture and uses advised against Use of substance / mixture: Silicone elastomer. 1.3. Details of the supplier of the safety data sheet

Company name: Auto4 Limited Unit 4A Park Court Park Lane Business Park Kirkby In Ashfield Nottinghamshire NG17 9GU

Tel: 0845 0770 190 Fax: 01623 441899

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture Classification under CLP: Eye Irrit. 2: H319; Skin Irrit. 2: H315 Classification under CHIP: This product has no classification under CHIP. 2.2. Label elements Label elements under CLP: Hazard statements: H315: Causes skin irritation. H319: Causes serious eye irritation. Signal words: Warning

Hazard pictograms: GHS07: Exclamation mark

Precautionary statements: P264: Wash hands thoroughly after handling. P280: Wear protective gloves. P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

SAFETY DATA SHEET RTV SILICONE SEALANT RANGE

contact lenses, if present and easy to do. Continue rinsing. P332+313: If skin irritation occurs: Get medical attention.

P337+313: If eye irritation persists: Get medical attention. P362: Take off contaminated clothing and wash before reuse.

2.3. Other hazards

PBT: This product is not identified as a PBT substance. Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients: TRIACETOXY(ETHYL)SILANE EINECS CAS CHIP Classification CLP Classification  
Percent 241-677-4 17689-77-9 C: R34 Skin Corr. 1B: H314 1-5% GASOIL - UNSPECIFIED - DISTILLATES  
(PETROLEUM), HYDROTREATED MIDDLE 265-148-2 64742-46-7 N: R51/53 - 1-5%  
METHYLTRIACETOXSILANE - 4253-34-3 Xi: R36/37/38 Skin Irrit. 2: H315; Eye Irrit. 2: H319; 1-5%  
STOT SE 3: H335

#### Section 4: First aid measures

##### 4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water. Eye contact: Bathe the eye with running water for 15 minutes. Ingestion: If conscious, give half a litre of water to drink immediately. If unconscious and breathing is OK, place in the recovery position. Consult a doctor. Inhalation: Move to fresh air in case of accidental inhalation of vapours. 4.2. Most important symptoms and effects, both acute and delayed Skin contact: There may be mild irritation at the site of contact. Eye contact: There may be irritation and redness. Ingestion: There may be irritation of the throat. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. 4.3. Indication of any immediate medical attention and special treatment needed Immediate / special treatment: Not applicable. Section 5: Fire-fighting measures

5.1. Extinguishing media Extinguishing media: On large fires use dry chemical, foam or water spray (fog). On small fires, use carbon dioxide (CO<sub>2</sub>), dry chemical or water spray. Water can be used to cool fire exposed containers. 5.2. Special hazards arising from the substance or mixture Exposure hazards: In combustion emits toxic fumes. In combustion releases toxic fumes of formaldehyde 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Personal precautions: Refer to section 8 of SDS for personal protection details. Avoid skin and eye contact. 6.2. Environmental precautions Environmental precautions: Do not discharge into drains or rivers. 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. 6.4. Reference to other sections Reference to other sections: Refer to section 8 of SDS. Section 7: Handling and storage

##### 7.1. Precautions for safe handling

Handling requirements: Ensure there is exhaust ventilation of the area. Do not breathe vapour. Product evolves

acetic acid when exposed to water or humid air. Provide ventilation during use to control acetic acid exposure. Wash after handling, especially before eating, drinking or smoking.

7.2. Conditions for safe storage, including any incompatibilities Storage conditions: Store away from oxidizing agents. Avoid contact with water or humidity. Suitable packaging: Must only be kept in original packaging. 7.3. Specific end use(s) Specific end use(s): No data available. Section 8: Exposure controls/personal protection

8.1. Control parameters Workplace exposure limits: No data available.

SAFETY DATA SHEET RTV SILICONE SEALANT RANGE Page: 4 8.1. DNEL/PNEC Values DNEL / PNEC No data available. 8.2. Exposure controls Engineering measures: Ensure there is sufficient ventilation of the area. Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. No respiratory protection should be needed with good local ventilation. Hand protection: Chemical protective gloves should be worn: Butyl gloves. Nitrile gloves. Neoprene gloves. Eye protection: Safety glasses. Ensure eye bath is to hand. Skin protection: Protective equipment is not normally necessary. Environmental: Refer to sections 6 and 12. Section 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties State: Paste Colour: Colourless Odour: Acetic acid. Flash point°C: > 100 Relative density: 1.01 9.2. Other information Other information: No data available. Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Cures in the presence of water or moisture, releasing a small amount of acetic acid.

10.2. Chemical stability Chemical stability: Stable under normal conditions. 10.3. Possibility of hazardous reactions Hazardous reactions: No data available. 10.4. Conditions to avoid Conditions to avoid: None known 10.5. Incompatible materials Materials to avoid: Strong oxidising agents. Water. 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes. In combustion emits toxic fumes of carbon dioxide / carbon monoxide. Silicon dioxide. Formaldehyde.

#### Section 11: Toxicological information

11.1. Information on toxicological effects Toxicity values: No data available. Symptoms / routes of exposure Skin contact: There may be mild irritation at the site of contact. Eye contact: There may be irritation and redness. Ingestion: There may be irritation of the throat. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Section 12: Ecological information

12.1. Toxicity Ecotoxicity values: No data available. 12.2. Persistence and degradability Persistence and degradability: Solid material, insoluble in water. No adverse effects are predicted. 12.3. Bioaccumulative potential Bioaccumulative potential: No bioaccumulation potential. 12.4. Mobility in soil Mobility: Insoluble in water. 12.5. Results of PBT and vPvB assessment PBT identification: This product is not identified as a PBT substance. 12.6. Other adverse effects Other adverse effects: Negligible ecotoxicity. Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste authorities. Disposal of packaging: Dispose of in accordance with local regulations. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. Section 14: Transport information

Transport class: This product does not require a classification for transport. Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. \* indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and 3: H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H319: Causes serious eye irritation. H335: May cause respiratory irritation. R34: Causes burns. R36/37/38: Irritating to eyes, respiratory system and skin. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.