

Auto 4 Ltd. Unit 4a, Park Court, Park Lane Business Park, Kirkby-in-Ashfield, Nottinghamshire. NG17 9GU General Tel: 01623 727360 Fax: 01623 721950 Email: sales@auto4.co.uk Web: www.auto4.co.uk

SAFETY DATA SHEET

201010 BLACK TYRE PASTE

I of 3

٥

Page

Revision Revision date

I. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name

BLACK TYRE PASTE

Company

Auto4, Unit 4a Park Lane Business Court Park Lane Kirkby-in-Ashfield Nottingham Nottinghamshire NG17 9GU

Telephone

01623 727360 (Kirkby) / 01235 854027 (Didcot)

+44 (0)1623 441899

201010

Product code

2. COMPOSITION / INFORMATION ON INGREDIENTS

3. HAZARDS IDENTIFICATION Main hazards No Significant Hazard 4. FIRST AID MEASURES Irritating to skin. Wash off immediately with plenty of soap and water. Remove contaminated Skin contact clothing. Seek medical attention if irritation or symptoms persist. Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Eye contact Seek medical attention if irritation or symptoms persist. Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest and irritation Inhalation of the respiratory system. Move the exposed person to fresh air. Seek medical attention. Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. Ingestion DO NOT INDUCE VOMITING. **5. FIRE FIGHTING MEASURES Extinguishing media** Carbon dioxide (CO2) **Fire hazards** Burning produces irritating, toxic and obnoxious fumes. **Protective equipment** Wear suitable respiratory equipment when necessary.

0

BLACK TYRE PASTE

Revision Revision date

	Revision date
6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable protective equipment.
Environmental precautions	Do not allow product to enter drains. Prevent further spillage if safe.
Clean up methods	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.
7. HANDLING AND STORAGE	
Handling	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
Storage	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
8. EXPOSURE CONTROLS / PERSONAL PROTECTION	
Engineering measures	Ensure adequate ventilation of the working area.
Respiratory protection	Wear: Suitable respiratory equipment.
Hand protection	Chemical resistant gloves (PVC)
Eye protection	Approved safety goggles.
Protective equipment	Wear chemical protective clothing.
9. PHYSICAL AND CHEMICAL PROPERTIES	
Description	Solid.
Colour	Black.
Odour	Odourless.
Water solubility	miscible in water.
10. STABILITY AND REACTIVITY	
Stability	Stable under normal conditions.
II. TOXICOLOGICAL INFORMATION	
Toxicological information	No known adverse health effects.
Acute toxicity	May cause sensitisation by skin contact.
12. ECOLOGICAL INFORMATION	
Ecotoxicity	No known adverse environmental effects.
13. DISPOSAL CONSIDERATIONS	
General information	Dispose of in compliance with all local and national regulations.
14. TRANSPORT INFORMATION	
Further information	The product is not classified as dangerous for carriage.
15. REGULATORY INFORMATION	
Labelling	The product is classified in accordance with 67/548/EEC.
Risk phrases	NSH - No Significant Hazard.

0

BLACK TYRE PASTE

Revision Revision date

16. OTHER INFORMATION Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge a belief at the date of publication however no guarantee is made to its accuracy. This information

storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. As the application of products is outside our control, the information is given without legal responsibility. Customers should test under their own conditions to ensure the products are suitable for their own requirements.