

Auto 4 Ltd. Unit 4a, Park Court, Park Lane Business Park, Kirkby-in-Ashfield, Nottinghamshire. NG17 9GU General Tel: 01623 727360 Fax: 01623 721950 Email: sales@auto4.co.uk Web: www.auto4.co.uk

## 202060 Health & Safety Data

SAFETY DATA SHEET (Conforms to EC Directive 91/155/EEC)

Date of first Issue: June 1993 Revision Number: I

Date: II<sup>th</sup>. December 2000

\_\_\_\_\_

I. Identification Compressor 68 Code:

Comp68

Commercial name: Compressor 68

.....

Emergency Telephone Number: 01623 441800

-----

2. Composition: A blend of refined hydra cracked mineral oil and

performance enhancing additives.
CAS Registry number: None
EINECS Number: None

Risk phrases: None required under current UK & EC legislation Safety Phrases: None required under current UK & EC legislation

\_\_\_\_\_\_

3. Hazards Not classified as dangerous

\_\_\_\_\_

4. First Aid Measures

Eye contact: Irrigate with plenty of cold water.

Skin contact: Wash off with copious amounts of water.

Ingestion: If more than a few drops are swallowed give patient water to drink. Do not induce vomiting and seek medical advice.

5. Fire Fighting Measures: Not considered flammable and does not constitute

a fire hazard.

Extinguishing Media: Carbon dioxide, dry powder, sand, foam of water

spray.

Protective Equipment for Fire-fighters: Standard

\_\_\_\_\_\_

6. Accidental Release Measures: Contain spillages in sand or sawdust. Dispose according to Local Regulations. If allowed to of enter drains and/or water courses, alert Local Water Authority. -----Handling and Storage: Do not store in areas where food and drink are taken. Exposure Control and Personal Protection: In accordance with good industrial practice handle using gloves/gauntlets and standard eye protection. Physical and Chemical Properties (Test Method) Physical form: Fluid Colour: Pale straw Odour: Bland N.A. pH of aqueous solution: Boiling Point: >150C Melting Point: N.A. Viscosity: 150 cst @ 40oC Flash Point: >195C Flammability solid/gas: N.A. Autoflammability: >195C Explosive properties: N.A. Oxidizing Properties: Can assist the mild oxidation of copper & copper alloys Vapour Pressure: N.A. 0.870 - 0.890Density: Water solubility: Insoluble. Other solubility: Soluble in hydrocarbon solvents. Bulk density: N.A. Partition Coefficient octanol/water: N.A. Other data: N.A. Explosion Limits: 10. Stability and Reactivity Thermal decomposition: Stable under normal conditions of use. Hazardous reactions: None under normal conditions of use. \_\_\_\_\_\_ Ha. Toxicological Data

Page 2 of 3

N.A.

Expected to possess a relatively low degree of acute oral toxicity. (LD 50 expected to be >2000 mg/kg)

Expected to be non-toxic by dermal route.

Oral:

Dermal:

Inhalation:

## SAFETY DATA SHEET

(Conforms to EC Directive 91/155/EEC)

IIb. Toxic Effects	s		
Skin:	Expected to be essentially non-irritating.		
Eye:	Expected to be essentially	non-irritating.	
I2. Ecological Inf	formation		
Biodegradation:	No data		
Fish Toxicity:	No data.		
Bacterial Toxicity:	No data.		
WGK Class:	WGK 0 or 1, Self classifica	ition.	
13. Disposal Co	onditions: Dispose of accor w	rding to a recognised mo	ethod of
I4. Transport Information UN Name: Not assigned.		U.N. Number:	
IMDG Code/Class: ICAO/IATA (Air) Cla RID/ADR Class: ADNR Class:	Non hazardous Non hazardous		
15. Regulatory Occupational Exposu	Information re Limits: N.A.		
Other Information:			
Page 3 of 3			